



Official Maradyne  
Distributor

PERFORMANCE  
**COOLING**



Adrad has a comprehensive range of  
**MARADYNE HIGH PERFORMANCE FANS.**

Sizes range from 9" - 16" with air volume  
movement from 790 cfm up to 3100 cfm



Maradyne is famous for using only the highest quality components in their fan assemblies. Plastic components are moulded out of 100% glass-filled nylon with no polypropylene fillers or blends. Motors are designed for long life, durability and to withstand harsh environments. These motors perform not only on the race track but also in extreme off-road racing conditions. Maradyne performance test their products at their in-house air test chamber, which ensures reliability of ratings.

Maradyne fans are found on race cars, dragsters, hot rods, street rods, off-road vehicles, mobile generator sets, military vehicles, buses, golf carts and other specialty applications.

Adrad Performance offers a comprehensive range of High Performance Maradyne fans from 10" - 16", including the Mach 1, Mach 2 assemblies as well as the Jetstream platinum 2 series 3100 cfm assembly.

**SEE RANGE >**

**Also Available**

# **CUSTOM ALLOY FAN SHROUDS**

- Custom Fabricated for Perfect Fit
- Strong 14 Gauge (2mm) Alloy
- Secure Mounting for Your Choice of Cooling Fan



Available From



[adradperformance.com.au](http://adradperformance.com.au)



**9" REVERSIBLE SKEW BLADE**

**12V**



Part No.	EFMAR01	Diameter	247mm	Depth	63mm
CFM	790	Watt	130	Current Draw	7.7A

**10" REVERSIBLE SKEW BLADE**

**12V**



Part No.	EFMAR03	Diameter	269mm	Depth	63mm
CFM	950	Watt	130	Current Draw	7.9A

**11" REVERSIBLE SKEW BLADE**

**12V**



Part No.	EFMAR05	Diameter	294mm	Depth	63mm
CFM	1110	Watt	130	Current Draw	7.4A

**11" HIGH PROFILE - PULLER ONLY**

**12V**



**HEAVY DUTY**

Part No.	EFMAR17	Diameter	294mm	Depth	102mm
CFM	1380	Watt	225	Current Draw	11A

**12" REVERSIBLE SKEW BLADE**

**12V**



Part No.	EFMAR07	Diameter	318mm	Depth	63mm
CFM	1155	Watt	130	Current Draw	7.7A

**12" REVERSIBLE SKEW BLADE**

**12V**

**LOWEST PROFILE  
PERFORMANCE REVERSIBLE  
FAN ON THE MARKET!**



**HEAVY DUTY**

Part No.	EFMAR13	Diameter	318mm	Depth	81mm
CFM	1433	Watt	225	Current Draw	13.3A

**12" HIGH PROFILE - PULLER ONLY**

**12V**



**HEAVY DUTY**

Part No.	EFMAR16	Diameter	318mm	Depth	100mm
CFM	1860	Watt	225	Current Draw	15A

**14" REVERSIBLE SKEW BLADE**

**12V**



**HEAVY DUTY**

Part No.	EFMAR14	Diameter	????mm	Depth	????mm
CFM	1433	Watt	225	Current Draw	13.3A



## 16" REVERSIBLE SKEW BLADE 12V



**HEAVY DUTY**



Part No.	EFMAR11	Diameter	400mm	Depth	81mm
CFM	2360	Watt	225	Current Draw	18A

## 16" MACH ONE - NO CONTROLS 12V



**HEAVY DUTY**

ACCESSORIES AVAILABLE



Part No.	EFMAR18	WxH	432 x 407mm	Depth	99mm
CFM	2160	Watt	225	Current Draw	18A

## 11" DUAL MACH TWO - PULLER ONLY SUITS DOWN FLOW RADS 12V




**HEAVY DUTY**

ACCESSORIES AVAILABLE



Part No.	EFMAR19	WxH	673 x 400mm	Depth	96.5mm
CFM	2,760	Watt	225 (x2)	Current Draw	22A

## 11" DUAL MACH TWO - PULLER ONLY SUITS CROSS FLOW RADS 12V



**HEAVY DUTY**

ACCESSORIES AVAILABLE



Part No.	EFMAR20	WxH	597 x 476mm	Depth	96.5mm
CFM	2,760	Watt	225 (x2)	Current Draw	22A

## 12" DUAL JETSTREME II PLATINUM 12V



**EXTREME PERFORMANCE**



Part No.	EFMAR15	WxH	660 x 381mm	Depth	100mm
CFM	3100	Watt	225 (x2)	Current Draw	26.6A

## ACCESSORIES

Part No. TUNI317



ADJUSTABLE TEMP SWITCH & RELAY 32 - 240 degree

Part No. TUNI322



DUAL FAN ADAPTER USED WITH MARADYNE DUAL FANS

**ACCESSORIES CONTINUED**

Part No. TUNI319




**BILLET ALUMINIUM UNIVERSAL FAN BRACKET**  
Two billet aluminium brackets with four (4) adjustable side angle brackets to attach to side flange of radiator. Fits 14 in. & 16 in. MARADYNE® electric fans

Kit includes:

- Aluminium brackets (2)
- Side angle brackets (4)
- Bolts (4)
- Washers (4)
- Nylon lock nuts (4) (for secure fastening)

Part No. TUNI321



**METAL UNIVERSAL BRACKET STRIPS**  
Four strap brackets 7.25 in. long are used with 90° mounting feet (supplied with all MARADYNE® electric fans)

Kit includes:

- Nylon brackets (4) (can be bent and/or trimmed for a custom fit)
- Nylon bolts (4)
- Nylon washers (4)
- Nylon lock nuts (4) (for secure fastening)

Part No. TUNI316



**ADJUSTABLE ENGINE TEMP SWITCH (NON-RELAY)**  
32 - 240F degree TEMPERATURE SWITCH  
Operates an electric radiator fan according to engine water temperature

Kit includes:

- 14 AWG black TEW wire (8 ft.)
- 2 in. x 7/32 in. vacuum hose
- 14 AWG pre-insulated butt splice
- 14 AWG x 3/8 in. insulated eyelet
- 14 AWG x 3/16 in. insulated eyelet
- Mounting screws (3)
- Machine screws (2)
- #10 washer (2)
- Star washer (for ground)
- Weatherproof fuse
- Electrical connectors
- Adjustable (32°F – 240°F) temperature switch+A107

Part No. TUNI320



**ENGINE TEMPERATURE SWITCH & RELAY**  
Operates an electric radiator fan according to engine water temperature

Kit includes:

- Heavy gauge wire harness
- Harness relay
- Weatherproof fuse
- Electrical connectors
- Machine screws (2)
- Mounting bracket
- 185°F (on at 185°F – off at 170°F) temperature switch (for carburetted engines)

Part No. TUNI318



**AIR CONDITIONING HARNESS WITH RELAY**  
Operates electric fan when compressor clutch is engaged.

Kit includes:

- Heavy gauge wire harness
- Harness relay
- Weatherproof fuse
- Electrical connectors

Available From